

EBS | Innovations since 1977

## EBS PJ-1000

# Environmentally-friendly

EFFICIENT PRINTING WITH MINERAL OIL-FREE INKS AND LOW POWER CONSUMPTION.



# ON, YOUR, MARKS,

## Installation ready to go – printed

The compact design of the print-head and ink system enables installation of the PJ-1000 at a variety of production lines.

Once filled with ink, the printer is ready to print within seconds due to its innovative ink circulation technology. The high print speed of 150 meters per minute, with a resolution of 360 dpi horizontally makes this a neat package.

The ink system is freely positionable and the print head can be fitted sideways or from above, giving you maximum installation flexibility.

The PJ-1000 marks your products with texts, graphics and up to 24 of your own barcode variations, with print heights from 1mm to 108mm.

So, switching to the PJ-1000 from an old system is easy.

Thanks to the intuitive, user-friendly software “HiRes Edgraf”, creating or importing texts, barcodes and graphics is very comfortable.

Available in various colours, the oil-based inks are free of mineral oil. Due to its very low power consumption, the PJ 1000 is environmentally friendly!

## What makes the PJ-1000 so special??

- High resolution up to 360dpi vertically
- Print speeds from up to 150m/min at 360 dpi
- Small print from 1mm
- High resolution graphics/logos
- Printing of grey shades
- Ventilation and operation of the ink system are simple
- Trapped air pockets in the nozzle plate are not possible
- Pigmented MOF inks (mineral oil-free)  
Ideal for printing on porous surfaces e.g. in the food industry
- Coloured inks available
- Internal ink tank
- Print height of 108mm without displacement



# Specifications

## Technical Details

EBS PJ-1000 Variations	Mini	Midi	Maxi
<b>Max. print speed at 360 dpi</b>	30 m/min	60 m/min	150 m/min
<b>Print height</b>	1 - 108 mm		
<b>Max. text length</b>	13.500 Pixel = 0,975 m at 360 dpi		
<b>Memory</b>	9 print images at print begin any number at print begin via Ethernet/RS 232 or USB stick		
<b>Text field</b>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Counter (up/down)</b>		<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Date/Time</b>		<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Date offset</b>		<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Activity field</b>		<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>1D Barcodes</b>		<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>2D Barcodes</b>			<input checked="" type="radio"/>
<b>Logos</b>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Password protection</b>			<input checked="" type="radio"/>
<b>USB Stick data transfer</b>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Ethernet</b>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>RS-232</b>	<input checked="" type="radio"/>	<input checked="" type="radio"/>	<input checked="" type="radio"/>
<b>Text design</b>	Via software HiRes Edgraf (based on Windows® Vers. 8/10)		
<b>Parameter input</b>	Via software HiRes Edgraf (based on Windows® Vers. 8/10)		
<b>Print technology</b>	Piezo technology		
<b>Max. number of print heads</b>	1		
<b>Weight</b>	approx. 6000 gr. (without consumables)		
<b>Ambient temperature</b>	optimal between 10°C and 40°C		
<b>Protection class</b>	IP 40		
<b>Operating period</b>	Continuous operation		

**EBS** | Innovations since 1977



Plant Nümbrecht - Germany

## EBS | 44 Years of Competence and Innovation

Since 1977, EBS GmbH Germany has been a leader in industrial coding equipment. Our early development and pioneering innovations in ink-jet technology are still being used world wide.

Today EBS has become an international producer and operates a family owned multi-national business. We run branch offices and plants in Europe, USA and China and co-operate with numerous partner companies world wide.

More than 360 people develop and produce the range of EBS products in Germany and Poland. We continue to set global standards for quality, innovation, technological leadership and service.

Our high performance products can be found in more than 70 countries, with more than 200 distributors, dealers and OEM's.

We would like to welcome you as our new customer.

**[www.ebs-inkjet.com](http://www.ebs-inkjet.com)**

Your Dealer

Subject to technical changes.



### PRODUCTION & DEVELOPMENT

#### HEADQUARTERS GERMANY

EBS Ink Jet Systeme GmbH  
Alte Ziegelei 19-25  
51588 Nümbrecht-Elsenroth  
Deutschland

Tel: 0 22 93 / 93 9-0

Fax: 0 22 93 / 93 9-3

E-Mail: [mail@ebs-inkjet.de](mailto:mail@ebs-inkjet.de)

[www.ebs-inkjet.de](http://www.ebs-inkjet.de)



#### POLAND

EBS Ink-Jet Systems Poland Sp.z o.o.  
ul. Tarnogajska 13  
50-512 Wroclaw (Breslau)  
Polen

Tel: (+48) 71 36 70 411

Fax: (+48) 71 37 33 269

E-Mail: [office@ebs-inkjet.pl](mailto:office@ebs-inkjet.pl)

[www.ebs-inkjet.pl](http://www.ebs-inkjet.pl)

### SALES, LOGISTICS & TECHNICAL SUPPORT

#### USA

EBS Ink-Jet Systems USA, Inc.  
1840 Industrial Drive - Suite 200  
Libertyville, IL 60048  
USA

Tel: (001) 847 996 0739

Fax: (001) 847 996 0843

E-Mail: [america@ebs-inkjet.com](mailto:america@ebs-inkjet.com)

[www.ebs-inkjet-usa.com](http://www.ebs-inkjet-usa.com)

#### CHINA

EBS Ink-Jet Systems Co., Ltd.  
Middle Unit, Floor 5, Building B6,  
China Merchants Guangming  
Tech. Park, No3009, Guanguang Rd,  
Guangming New Dist.,

518132 Shenzhen China

Tel:(+86) 755 882 842 59

E-Mail: [sales@ebs-china.com](mailto:sales@ebs-china.com)

[www.ebs-inkjet-china.com](http://www.ebs-inkjet-china.com)

